

VIRTUAL CLINICAL TRIALS: CARE FROM ANYWHERE

Recorded: October 16, 2020





TWITTER

O&A

Ask questions in real-time by tagging @CraigLipset and #AHPSummit20!



Virtual Clinical Trials: Care from Anywhere

Alliance for Health Policy 2020 Signature Series Voice of the Patient 20 October 2020

> Craig H Lipset acraiglipset







BOARD MEMBER

MedStar Health Research Institute



FOUNDATION FOR SARCOIDOSIS RESEARCH



FACULTY









Early-COVID Trial Continuity

Pre-COVID Trial Trends

Mid-COVID Trial Stabilization

Forecasts for Beyond


Clinical Trial Trends Pre-COVID




Clinical Trial Trends Pre-COVID

TRIAL DIGITIZATION








PATIENT-CENTRICITY







Study Access





Mobile / Digital Endpoints



Automation

Early-COVID Trial Continuity



Early-COVID Trial Continuity

OBJECTIVE: Monitor Patient Safety Avoid Missed Doses Avoid Missing Data



Direct-to-patient supply chain In-home infusion



Remote/ central monitoring Data-driven/ risk-based monitoring




& Data Capture

Video/ tele-visits & home visits Shifting endpoint to digital Opportunities for modeling

Early Shifts in Trial Conduct

79% of SPONSORS/CROs Increasing Virtual

How has COVID-10 and associated lockdowns impact your use of decentralized trials?




What changes have you experienced in your clinical trial as a result of the COVID-19 pandemic?

Study medication delivered

Clinical Trials Europe, May 2020, n=184

90% of PARTICIPANTS Impacted



CISCRP 2020, n=38



Culture still risk averse, only the environment changed.

What had been viewed as risk months early, now became risk mitigation.

What Drove The Change?

Will The Change Last? SOP Waivers & Protocol Deviations Do Not Make A "New Normal"



Mid-COVID Trial Stabilization




Sites Anticipated Difficulty Resuming Studies

What is the Most Important Challenge in Restarting Clinical Trials at Sites?

Restarting participant enrollment	39%
Participant willingness to return to the clinic for visits	29%
Having all necessary employees	10%
Having all necessary lab resources	8%
Assessing the impact on previously gathered clinical trial data	a 8%
Drug supply availability	7%

Study Enrollment Recovery Began in May

Clinical Research Sites Open to Enrollment



Mid-COVID Trial Stabilization

Committing To Change










Policies & Procedures


Partners & Vendors

Training & Culture

Rethinking Protocols

By July Most Sites Indicate Committing to Change






Will sites use telemedicine after COVID-19?



Source: WCG CenterWatch™

How Are Sites Using, Or Planning To Use, Remote Coordinators?





Virtual Trials

Siteless Trials


Remote Trials

Digital Trials

Direct to Patient Trials

Decentralized Trials






CISCRP Perceptions & Insights Study, 2019

Race/Ethnic Differences in Preference

85% Black 81%White 66% Asian

Home nursing visits would make participation in a trial somewhat/very appealing.

75% Hispanic/LatinX



Percent of Patients More Likely To Participate In A Trial That Offers Telehealth Services.

SubjectWell Patient Attitudes Survey, May 2020



Percent of Japanese Research Participants That Would Value Alternatives to Hospital Visits.

Continuum Clinical / 3HMedi Survey, May 2020

A Clinical Trial From Home



NEWS / Pfizer Conducts First "Virtual" Clinical Trial Allowing Patients to Participate Regardless Of Geography

PFIZER CONDUCTS FIRST "VIRTUAL" CLINICAL TRIAL ALLOWING PATIENTS TO PARTICIPATE **REGARDLESS OF GEOGRAPHY**

PILOT STUDY WILL COMPARE RESULTS TO PREVIOUS TRIAL DATA TO ASSESS VALIDITY OF NEW APPROACH

Tuesday, June 7, 2011 - 5:30am EDT

"This program and similar programs that may follow could lead to an entirely new way for patients to participate in trials and contribute to biomedical research."



REMOTE:

Research on Electronic Monitoring of OAB Treatment Experience

- Safety & efficacy of Detrol LA
 - for overactive bladder
- 600 patients from 10 states
- 2 lab assessments
- 5 mobile based e-diary assessments



Contemporary Clinical Trials Volume 38, Issue 2, July 2014, Pages 190-197

Web-based trial to evaluate the efficacy and safety of tolterodine ER 4 mg in participants with overactive bladder: REMOTE trial

Miguel Orri ^a 온¹ 쯔, Craig H. Lipset ^b, Bradly P. Jacobs ^{c, d}, Anthony J. Costello ^c, Steven R. Cummings ^{c, d, e}





Fig. 2. Electronic data collection and management. EDC = electronic data capture, IVRS = interactive voice response system




10.00	20,901 Viewed study introduction web page
MENT	17,950 Viewed study introduction online video
RECRUIT	13,373 Viewed account registration page
20	7,230 Completed account registration page
	5,157 Reconfirmed e-mail address
1000	1,519 Eligible on incontinence and demographics
ENG.	770 Verified identity
SCREEN	456 Viewed, passed, and signed informed consent
	237 Eligible on medical history, investigator countersigned
11111	119 Eligible on lab tests and physical exam, if required
1111	18 Eligible and randomized after completing two 3-day bladder e-diaries during placebo run-in

Fig. 3. Participant disposition. Percentages at each step of recruitment were calculated using the number of participants who viewed the study introduction web page as the denominator. Percentages at each step of screening were calculated using the number of participants who reconfirmed their e-mail address as the



Hybrid Trials

What changes are you making to existing trial models to address the challenges of the COVID-19 pandemic?





₿



Brick-and-Mortar Sites Conventional investigator site visits



Hybrid Studies Some visits scheduled at home



Fully Virtual All visits from the home

Forecasts for Beyond



Post-COVID Everything is Hybrid

People expect CHOICE in engagement





Grocery






The Researcher's View of Hybrid Trials

	Visit #1	Visit #2	Visit #2	Visit #4	Visit #5	Visit #6	Visit #7
Protocol- defined Location	In-Clinic	At-Home	In-Clinic	At-Home	In-Clinic	At-Home	In-Clinic`



The Researcher's View of Grocery Shopping

	Visit #1	Visit #2	Visit #2	Visit #4	Visit #5	Visit #6	Visit #7
Grocery- defined Location	In-Store	At-Home	In-Store	At-Home	In-Store	At-Home	In-Store



Next Generation Hybrid Trials


Trials with Choice

Adapt to Patient Preferences & Journey









ILLUSTRATED BY FAUL GRANCER

Path Forward for Research Sponsors

Fit-For Portfolio Solutions

External Environment

Partner solutions Competitive intelligence Environmental risk Regulatory perspective

Internal Environment

Therapeutic areas Patient insights Geographic footprint Culture

eConsent Home health Local labs Local imaging



Video visits **Remote monitoring** Central site Home drug supply

... To Pair With Portfolio and Patient Needs

Virtual Clinical Trials: Care from Anywhere

Alliance for Health Policy 2020 Signature Series Voice of the Patient 20 October 2020

> Craig H Lipset acraiglipset